

MeasurLink® 10 Real Time Statistical Process Control and Data Collection Software



SMALL TOOL INSTRUMENTS AND DATA MANAGEMENT



Mitutoyo

MeasurLink[®] 10



Below is a brief example of some of the new functions and features included in this newest release of MeasurLink, Mitutoyo's Real-Time SPC and Data Collection software. Please visit our website for a copy of our release notes that detail all the other new functions and features. **www.measurlink.com**

AS9102 First Article Inspection

3	Hante View Tools	-	Notures Free Article Import Proview Print Delete					×
	a fead by	net -	Print Ldit					-
			99202/1	416	AN (M-Put BER 12)			X
	Wes Classic Ver First Arid	e inepe	ction View - 1 Data Sheet					
988	Article Inspection View - 1		c	D	I.	F G	н	×
4		- 12	2. Part Name:	0	a Serial Number:			
	1. Part Number: 27543-01		2. Part Name: M-Part 468-12		3. Senal Number: 345-021	4. FAIR Number: 213A		
	5. Part Revision Level:		6. Drawing Number:		7. Drawing Revision Level:	8. Additional Changes:		
2	5. Part Revision Level:		5. Drawing number;		7. Drawing newsion Level:	8. Additional Changes:		
-	9. Manufacturing Process		10. Organization Name:		11. Supplier Code:	12. Purchase Order Number:		
	Reference:		er organizeron renne.		te poppore cove.	as Paranase anale manager		
6	19523		Mitutoyo		546-21	60813		
7	13. Detail Part: X Assembly FAI:		14. Full FAI: X Baseline Part Number (including revision level):		Partial FAI:			
8					N/A			
9			Reason for Partial FAI:		N/A	(/A		
10	a) If above part number is a	detai	part only, go to field 19		and the second se			
11	b) If above part number is a	n assi	mbly, go to the "INDEX" sec	tion 2	selow.			
12	INDEX of pa	et nu	ribers or sub-assembly num	bers	required to make the assemb	ly noted above.	1	
13	15. Part Number: 27434-12		16. Part Name:		17. Part Serial Number:	18. FAIR Number:		
14			Coupling 256-14		137-023	209A		
15		n Doe						
16	19. Signature:				20. Date: 09/08/2022			
17	0.0000000000	FA1 Complete		FAI Not Complete	A COMPANY CONTRACTOR			
		21. Reviewed By: John Doe				22: Date: 09/08/2022		
15	23. Customer Approval:	Joh	n Doe			24: Date: 09/08/2022		1

First article inspection view in Real-Time or Process Analyzer provides a clear and concise approach for completing FAI reports that align with the AS9102 requirements. This feature includes forms 1, 2, and 3 with options to export to Excel or PDF and allows users to search first article inspection information and production data in one location.

Data Transformation

Source:	New	~	
Type:	Data Transformation	~	
DAC ▶ Rs2 ⊿ HID	le DAQ Sources a Source Name 32	Operators P × Imp. Operators Imp. Afthetic Imp. Afthetic Imp. Boolean Imp. Afthetic Imp. Strings Imp. Strings Imp. Strings Imp. Control Structures Imp. Structures	Functions
Code 1 [DA < DAQ Source		vermalleft([USB Input Tool],2);]	Q X

Transform data from measurement sources before storing and displaying results. This function can convert units and shift decimal points to make data collection even easier.

Dynamic Run Selection

	Date Type O Read	* Dyname						
Select a report	Dynamic Data							
	E Report By Han							
							0 -4 1	4 0
ReportData	12.00							
	- Sation	+ Epole	Me	esurijnà Der	0			•
	- 00 OR +							
Darasteristic Selection	- Routine	* Equals		Coupling 25				•
	L Pours	• Eavely		M-Part 452-				
	Traceability	Operators	•	Cours		Danald		
Film								
View Dations	Freed Sata							

Run Data (Filtered)	4 X
▲ Run Data ▲ Cooping 256-1 + Q: InSO2101 0 + d: MPA 458-12 > d: Zinstore > d: Rou Customer A > d: Pan 1 Call	
(E) AND	¢ 0
Station Equals Measure Date Range Between (

This supports functionality for enhanced reporting. It gives users the ability to report on multiple runs across separate stations, parts, and routines based on filter criteria. Output all runs matching filter criteria to a single report, or an individual report for each run.

Missed Inspection View and Metrics

Calacition Beliefabler (New										N. Minkle Lating				1.8
11/1/2022 4:35:16 PM 11:36 AM MeasurLink Demo		11:36	9/01/2022 11:36 AM MeasurLink Demo			2/14/2023 3:10:03 PM 11:45 AM Station1			The second secon		C Next Yearing: 10.95			
	:30			:30)		0	0:07:	30	- Salar Salari - Salar Salari Marcellona, 20	form:			Northy (17) Northy (17)
No permit 11:45 AM MeasurLink (Demo		11:45	2021 4:21:33 AM surLink Demo	PM		/29/2021 :45 AM sasurLink		РМ	Chel Indiana Datana Nationa Nationa Ataona				
00	:07:30			00:07	:30		0	0:07:	30	1010-000 (mm mm) 1010-000 (mm mm) 1010-000 (1010-000 1010-000 (1010-000 1010-000 (1010-000)				
Derosynen - Derosynen - Teschursp 91/2002/20141/94 Derosynen Rei Action	Ruben - Meanufuris Dome		Routiens C front plant van	Log V FLa 12030251 3 (4 54 PM Log V	Oranatalata att	Clearing the family			General Action		-			
Interfaces 3/20/2019 11:05: AN 9/17/2019 21:15:25 PM 9/17/2019 21:05:47 PM 9/17/2019 21:05:47 PM 9/17/2019 21:05:47 PM 9/17/2019 21:05:48 PM 9/17/2019 21:05:99 PM 9/17/2019 21:05:99 PM	Dynamic Meanuturis Dama Meanuturis Dama Meanuturis Dama Meanuturis Dama Meanuturis Dama Biaroart	Alma al Alma al Alma al Alma al Alma D Alma D Alma D	peartic Site I And plan car E And plan car I And plan car I And plan car I And plan car I MAA beg I MAA beg IP Recard IA	Kos 10000003 9 10 48 4M wingsy dis 4144203 2 40 27 PW 0140001 2 40 27 PW 0140001 2 40 27 PW 85 200002 check brank 51442001 2 20 07 PW 10190002 10 24 1 15 PW	Deatent	Overclos factor	Obersellur Ave	galite Canre	Comercine Actual	Lines Reference of Reference Reference Reference Spec Reference Reference Reference Reference	-	Massactive Comm		

View metrics based on run, routine, station, and time for missed data collections using Process Manager.

Acceptance Sampling



MeasurLink's Acceptance Sampling feature calculates the correct number of samples to take and will reject or accept lots based on C=0 or ANSI Z1.4 standards. Display OC Curves for risk evaluation. Export to Excel or PDF.

MQTT JSON Device

Sample	Test Results
(InspectionRoutine": "RoutineName", "SerialNamber": "SN225", "Machine": "M1"	ROUTINE = Routinehane (SM = SM13) TRACE = MOTTMachine Liu = MOTTMachine Map = Machine
Command	Clear Test
ROUTINES.InspectionRoutine&&SNES.SerialNumb	er&&TRACE)/40TTMachine)Machine 3. Machine
Maps	OK Cancel

Supports machine-to-machine communication protocol for industrial automation. Similar to RS-232 devices, the measurement, traceability and serial number can be collected.

www.measurlink.com

Additional New Functions and Features

- Support for Box Plot Analysis
- Report electronic signature history
- Identify characteristic criticality
- Support for sigma zone lines to XBarR and XBarS charts
- Enhanced Create Routine function to allow folder selection
- Record RS-232 polling communication to log file
- New Gage R&R studies can be created using the properties of a previous study. This allows for a series of repeating studies on the same gage to be conducted with very little setup required.
- Improved loading performance
- Added filter descriptions to chart printouts

System Information

MeasurLink is a modular data management software system that enables collecting data from a wide range of Mitutoyo measuring tools and systems including Calipers, Indicators, Sensors, Vison and Coordinate Measuring Machines.

- MeasurLink Real-Time Standard allows data collection from each tool and instrument while allowing real-time display of statistical processing data such as control charts, histograms and process capability indices.
- MeasurLink Real-Time Professional additionally supports filter, Import Templates and DDE DAQ Sources.
- MeasurLink Real-Time Professional 3D additionally supports view of the workpiece using 3D CAD data. (HOOPS).
- MeasurLink Process Analyzer A powerful supervisory tool for viewing, analyzing and reporting on all data collected at any Real-Time station on the network. Additional charting options and management friendly reports provide insight on the manufacturing process.
- MeasurLink Process Manager enables centralized monitoring of information from all MeasurLink data collection terminals networked together on the shop floor.
- MeasurLink Report Scheduler automatically outputs reports created by Real-Time or Process Analyzer on a user defined schedule.
- MeasurLink Gage Management plans and implements a complete calibration schedule and incorporates a powerful retrieval

function in addition to recording and managing the operational state of gages.

- MeasurLink Gage R&R is an evaluation and analysis software compliant with MSA required in ISO/TS 16949.
- Workgroups and Site Licenses: The MeasurLink suite is best acquired as a Workgroup or Site License. The package can be any combination of Real-Time, Process Analyzer, Process Manager, Report Scheduler, Gage R&R and/or Gage Management modules. All of the stations in the installation store their data in a SQL Database located on the user's network.
- Floating License Authorization: Users who want to use MeasurLink in a terminal server environment or want to have a number of concurrent users should consider the Floating License upgrade option. This authorizes licenses in packs of 5, 10, 15 and 30. Thin-Client hardware or traditional PCs can utilize this option.
- **New TQM License!** A single floating license with every module that can be used on any computer. Perfect for power users or anyone who wants to get the most improvement out of their manufacturing process.

	Part Number						
New Purchase	Version Upgrade	Floating Authorization					
64AAB836R	64AAB836R-U	N/A					
64AAB837R	64AAB837R-U	N/A					
64AAB838R	64AAB838R-U	N/A					
64AAB855FR	N/A	N/A					
·		·					
64AAB847R	64AAB847R-U	64AAB847F					
64AAB846R	64AAB846R-U	64AAB846F					
64AAB844R	64AAB844R-U	64AAB844F					
64AAB843R	64AAB843R-U	64AAB843F					
64AAB848R	64AAB848R-U	64AAB854F					
	64AAB836R 64AAB837R 64AAB837R 64AAB838R 64AAB855FR 64AAB847R 64AAB847R 64AAB844R 64AAB844R 64AAB843R	64AAB836R 64AAB836R-U 64AAB837R 64AAB837R-U 64AAB838R 64AAB838R-U 64AAB855FR N/A 64AAB847R 64AAB847R-U 64AAB847R 64AAB847R-U 64AAB846R 64AAB846R-U 64AAB844R 64AAB844R-U 64AAB843R 64AAB843R-U					



Full Version Software 60 Day Free Trial – Out now!

https://mitutoyo.eu/en_us/news-and-events/free-statistical-process-control-ML10

easur An Integrated Solution for Quality Data Management

Mitutova



Database Management System (DBMS) Requirements

MeasurLink® 10 ships with Microsoft® SQL Server Express Edition 2019. This edition can be used to support a standalone or multi-machine workgroup installation. We recommend 5 licenses or fewer when using SQL Server Express).

MeasurLink® supports the following Microsoft® SQL Server versions:

- Microsoft® SQL Server 2022 Standard Edition Microsoft® SQL Server 2017 Standard Edition
- Microsoft® SQL Server 2022 Enterprise Edition Microsoft® SQL Server 2017 Enterprise Edition
- Microsoft® SQL Server 2019 Standard Edition
 Microsoft® SQL Server 2016 Standard Edition
- Microsoft® SQL Server 2019 Enterprise Edition Microsoft® SQL Server 2016 Enterprise Edition

Operating System Requirements

All MeasurLink[®] 10 products are supported on the following Microsoft[®] Windows Operating System versions:

- All Windows® 10 versions (not including Mobile and IoT versions)
- All Windows[®] 11 versions (not including IoT versions)
- 64-bit operating systems required .

Hardware Requirements

.

These requirements are the minimum for the Windows® OS and may not provide optimum performance. In general, the more powerful the PC, the faster the response times!



Note: All information regarding our products, and in particular the illustrations, drawings, dimensional and performance data contained in this printed matter as well as other technical data are to be regarded as approximate average values. We therefore reserve the right to make changes to the corresponding designs, dimensions and weights. The stated standards, similar technical regulations, descriptions and illustrations of the products were valid at the time of printing. In addition, the latest applicable version of our General Trading Conditions will apply. Only quotations submitted by ourselves may be regarded as definitive.

Whatever your challenges are, Mitutoyo supports you from start to finish.

Mitutoyo is not only a manufacturer of top quality measuring products but one that also offers qualified support for the lifetime of the equipment, backed up by comprehensive services that ensure your staff can make the very best use of the investment.

Apart from the basics of calibration and repair, Mitutoyo offers product and metrology training, as well as IT support for the sophisticated software used in modern measuring technology. We can also design, build, test and deliver bespoke measuring solutions and even, if deemed cost-effective, take your critical measurement challenges in-house on a sub-contract basis.

Mitutoyo

Mitutoyo Europe GmbH

Borsigstraße 8-10 41469 Neuss Tel. +49 (0) 2137-102-0 info@mitutoyo.eu www.mitutoyo.eu