

U-WAVEPAK-BM

User's Manual

Please read this "User's Manual" before use to ensure correct use.
After reading, be sure to keep it in a place where you can read it anytime.

Mitutoyo

Issued on May 30, 2020 (1)

Notice: Please make sure to confirm the following before installation

This program is created and distributed for free by Mitutoyo as part of its customer service. Mitutoyo make no warranty, express or implied, regarding the quality or performance of this program. Mitutoyo cannot accept liability for any damage arising from the use of this program (including damage, failure, other consequential damage, etc. of hardware, other programs and data), either directly or indirectly.

- Mitutoyo shall not be responsible for any result and related influence by the operation of this program and manual.
- All copyright for this program and manual belongs to Mitutoyo.
- No one shall be allowed to revise part or all of program without permission.
- If this program is copied in complete condition. Elimination or revision of this manual, and the copying, reproduction or assignment of part of this program is strictly prohibited.

Notice: U-WAVE-TCB/U-WAVE-TMB, U-WAVEPAK-BM

- This application operates on Android 7.0 or later and iOS 12.0 or later.
- This application can use the Bluetooth function that comes with the device.
 - ※ When using the Bluetooth function, the Android terminal needs the access right of the location information.
- This application and U-WAVE-TCB/U-WAVE-TMB do not guarantee the connection with all Bluetooth apparatuses.
- During Bluetooth communication is always exhausted to the battery of U-WAVE-TCB/U-WAVE-TMB. Please Disconnect Bluetooth communication when not in use.
 - ※ This application has been confirmed to work with Android 7.0 and iOS 12.0.

Mitutoyo Mobile APPLICATION End-User License Agreement

IMPORTANT – PLEASE READ THIS MITUTOYO MOBILE APPLICATION END USER LICENSE AGREEMENT ("EULA") CAREFULLY BEFORE USING THE APPLICATION SOFTWARE DISTRIBUTED BY MITUTOYO FOR USE ON IOS OR ANDROID OS DEVICES. THIS EULA SHALL CONSTITUTE A LEGAL AGREEMENT BETWEEN YOU/CUSTOMER AND MITUTOYO CORPORATION ("MITUTOYO") FOR THE MITUTOYO APPLICATION SOFTWARE DISTRIBUTED WITH THIS EULA, WHICH APPLICATION SOFTWARE INCLUDES, WITHOUT LIMITATION, PROGRAM AND MAY ALSO INCLUDE ASSOCIATED MEDIA, PROGRAM DISK(S), DONGLES, MANUALS, OTHER PRINTED MATERIALS, AND/OR OTHER "ONLINE" OR ELECTRONIC DOCUMENTATION (COLLECTIVELY, "APPLICATION SOFTWARE"). BY CLICKING ON THE "ACCEPT" BUTTON, DOWNLOADING THE APPLICATION SOFTWARE, INSTALLING THE APPLICATION SOFTWARE ON AND/OR USING A PRODUCT OR PROGRAM CONTAINED IN THE APPLICATION SOFTWARE, YOU ARE DEEMED TO HAVE CONSENTED TO BE BOUND BY THE TERMS OF THIS EULA. IF YOU DO NOT AGREE TO ALL OF THE TERMS AND CONDITIONS OF THIS EULA, DO NOT CLICK ON THE "ACCEPT" BUTTON AND DO NOT OPEN, DOWNLOAD, INSTALL OR USE THE SOFTWARE PRODUCT. THIS APPLICATION SOFTWARE IS LICENSED, NOT SOLD, SUBJECT TO THE TERMS AND CONDITIONS SET FORTH IN THIS EULA. THE GRANT OF LICENSE SET FORTH BELOW WILL BE EFFECTIVE ONLY WHEN YOU AGREE TO ALL TERMS AND CONDITIONS SET FORTH IN THIS EULA.

1 License

Mitutoyo grants to you/customer ("Customer") a non-transferable and non-exclusive and limited license to install and use one copy of the APPLICATION SOFTWARE (in object code form only) on a single DEVICE, under the terms and conditions of this EULA. In the event that Customer wishes to use the APPLICATION SOFTWARE on another DEVICE, Customer must obtain another license therefor.

Customer acknowledges and agrees that (a) Mitutoyo, its affiliated and related companies and/or its suppliers are and shall remain the owner of the exclusive right, title and interest in and to the APPLICATION SOFTWARE and (b)

Customer has no right, title or interest of any nature whatsoever in and to the APPLICATION SOFTWARE, except the right to use the APPLICATION SOFTWARE in accordance with and subject to the terms and conditions of this EULA. All rights not expressly granted herein by Mitutoyo are reserved by Mitutoyo for the exclusive benefit and use of Mitutoyo and its affiliated and related companies as Mitutoyo deems appropriate.

2 Restrictions

EXCEPT AS EXPRESSLY AUTHORIZED HEREIN, CUSTOMER SHALL NOT PRINT OR COPY, IN WHOLE OR IN PART, THE APPLICATION SOFTWARE; MODIFY THE APPLICATION SOFTWARE; REVERSE COMPILE OR REVERSE ASSEMBLE/ENGINEER ALL OR ANY PORTION OF THE APPLICATION SOFTWARE; OR RENT, LEASE, SUBLICENSE, DISTRIBUTE, SELL, OR CREATE DERIVATIVE WORKS OF THE APPLICATION SOFTWARE.

3 Copyright

Copyright in and to the APPLICATION SOFTWARE shall remain exclusively with Mitutoyo, its affiliated and related companies and/or its suppliers. Customer may not remove, modify or alter any copyright, trademark or any other intellectual property legend/notice from any part of the APPLICATION SOFTWARE.

4 Limited warranty

In no event does Mitutoyo warrant that the APPLICATION SOFTWARE is error free or that Customer will be able to operate the APPLICATION SOFTWARE without problems or interruptions or that the APPLICATION SOFTWARE will work in combination with any hardware or application APPLICATION SOFTWAREs provided by third parties.

EXCEPT AS SPECIFIED IN THIS WARRANTY, ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS, AND WARRANTIES OF ANY NATURE WHATSOEVER INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT OR WARRANTY ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE, ARE HEREBY EXCLUDED TO THE MAXIMUM EXTENT ALLOWED BY APPLICABLE LAW.

Customer assumes all responsibility for all results arising out of its selection of the APPLICATION SOFTWARE to achieve its intended results.

5 Disclaimer

IN NO EVENT WILL MITUTOYO, ITS AFFILIATED AND RELATED COMPANIES AND SUPPLIERS BE LIABLE FOR ANY LOST REVENUE, PROFIT, OR DATA, OR FOR SPECIAL, DIRECT, INDIRECT, CONSEQUENTIAL, INCIDENTAL, OR PUNITIVE DAMAGES HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY ARISING OUT OF THE USE OF OR INABILITY TO USE OF THE APPLICATION SOFTWARE EVEN IF MITUTOYO, ITS AFFILIATED AND RELATED COMPANIES AND/OR SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

If, notwithstanding the other provisions of this EULA, Mitutoyo, its affiliated and related companies and/or its suppliers are found to be liable to Customer for any damage or loss which arises out of or is in any way connected with use of the APPLICATION SOFTWARE by Customer, in no event shall Mitutoyo's and/or its affiliated and related companies' and suppliers' liability to Customer, whether in contract, tort (including negligence), or otherwise, exceed the price paid by Customer for the APPLICATION SOFTWARE only.

The foregoing limitations shall apply even if the above - stated warranty fails of its essential purpose.

BECAUSE SOME COUNTRIES, STATES OR JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR THE LIMITATION OF LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, IN SUCH COUNTRIES, STATES OR JURISDICTIONS, MITUTOYO'S, ITS AFFILIATED AND RELATED COMPANIES' AND SUPPLIERS' LIABILITY SHALL BE LIMITED TO THE EXTENT PERMITTED BY LAW.

6 Termination

The license of Customer under this EULA is effective until terminated. Customer may terminate this EULA at any time by destroying all copies of the APPLICATION SOFTWARE including all media and documentation. This EULA will terminate immediately without notice from Mitutoyo if Customer fails to comply with any provision of this EULA. Upon termination, Customer must destroy all copies of APPLICATION SOFTWARE including all media and documentation.

7 Export control

The APPLICATION SOFTWARE is subject to Japanese export control laws as well as any other applicable export or import control laws and regulations in other countries. Customer agrees to comply strictly with all such applicable regulations and acknowledges that it has the responsibility to obtain licenses to export, re - export, or import the APPLICATION SOFTWARE.

8 Miscellaneous

This EULA shall be governed by and construed in accordance with the laws of Japan, without giving effect to the principles of conflict of law. Customer agrees to submit to the exclusive jurisdiction of the district courts in Tokyo, Japan with respect to any dispute, controversy or claim arising out of or relating to this EULA and the parties respective rights and obligations hereunder. This EULA shall not be governed by the United Nations Convention on Contracts for the International Sale of Goods, the application which is expressly excluded.

If any portion hereof is found to be void or unenforceable, the remaining provisions of this EULA shall remain in full force and effect.

This EULA constitutes the entire agreement between Customer and Mitutoyo with respect to the subject matter hereof.

Customer shall indemnify, defend and hold harmless Mitutoyo, its affiliated and related companies and its suppliers from and against any and all claims and liability of any nature whatsoever arising out of or in connection with Customer's breach of this EULA.

Table of Contents

1. Installation.....	7
2. Starting "U-WAVEPAK-BM"	7
3. Screen Description	9
4. How To	10
4.1. How to Register U-WAVE-TCB/U-WAVE-TMB	10
4.2. Measurement data acquisition method	13
4.3. Setting Device Information (Device Name, Tolerance Determination)	17
4.4. Graph Display	22
4.5. histogram display	25
4.6. File List	28
4.7. Other Features	30
4.8. How to Disconnect and Unregister Devices	31
5. How to pair directly with the OS	32
6. troubleshooting	32

1. Installation

Download "U-WAVEPAK-BM" from the application store (Google Store, App Store) and install it.

2. Starting "U-WAVEPAK-BM"


① Tap 'U-WAVEPAK-BM' to start the application.




② Enable access to location information.

*According to Google's specifications, the Android OS requires permission to access location information during Bluetooth communication.

③ After checking the terms of use, please agree by clicking the consent button at the bottom of the screen.




- ④ The activation is complete when the following screen appears.



3. Screen Description

Tap the upper left of the start-up screen to select items on the display screen.



① Device List

You can register and delete U-WAVE-TCB/U-WAVE-TMB, confirm connection, and set devices.

② Measure

You can display received measurements, request data, and reset data.

③ Graph

The measurement data log can be displayed graphically.

④ Histogram

The measurement data log can be displayed as a histogram.

⑤ File List

You can display the measurement data log file. You can delete and share files.

⑥ About

You can check the version of the application and change the decimal point display.


4. How To

4.1. How to Register U-WAVE-TCB/U-WAVE-TMB



This section explains how to connect U-WAVEPAK-BM and U-WAVE-TCB/U-WAVE-TMB via Bluetooth.

You can register up to 3 of U-WAVE-TCB/U-WAVE-TMB.

- ① Turn on the power of the measuring instrument to which U-WAVE-TCB/U-WAVE-TMB.
- ② Change the display of the application to "Device List" and tap "Scan".



- ③ When the following screen appears, press the DATA button (orange) of U-WAVE-TCB/U-WAVE-TMB.




Press the button

Tips


- If you press the DATA button of U-WAVE-TCB/U-WAVE-TMB, the LED will flash orange.
- Scanning continues for 15 seconds. Shows all U-WAVEs detected during the scan.

- ④ Make sure the device ID is displayed on the application screen.

Tap "Save" of the device ID you want to register, and when "Connecting" is displayed, press the DATA button of U-WAVE-TCB/U-WAVE-TMB again.




- ⑤ When the display of the application turns orange "Connected", the connection is completed.



*The U-WAVE-TCB/U-WAVE-TMB LED lights green when the connection is complete. Also, the buzzer sounds when the type is buzzer.

Caution

- If you connect directly to the OS of your smartphone or tablet, the device ID does not appear in the application. Disconnect from the OS before registering.
- In case of iOS, the following dialog may be displayed according to the specification of Apple.
Select "Return" to use the application. If you select "pairing", please deregister the device from the OS setting screen and register again with the application.



4.2. Measurement data acquisition method

This section explains how to send and view measurement data.

Please check the tips for changing the decimal point display.

① Method for transmitting measurement data

When the DATA button (orange) is pressed, the U-WAVE-TCB/U-WAVE-TMB transmits the measured value displayed on the measuring instrument.




If the transmission is successful, the LED flashes green. The buzzer sounds twice for the buzzer type.

If transmission fails, the LED flashes red. The buzzer sounds once for the buzzer type.

② Reading method of measurement data

The measurement data sent from U-WAVE-TCB/U-WAVE-TMB can be viewed on the "Measure" screen.


Tap the upper left of the application screen and tap "Measure".



The measurement data is displayed on the following screen and is displayed when the measurement data is received.




When multiple U-WAVE-TCB/U-WAVE-TMB are connected to the app, you can check the measurement values of all devices on the "All" screen. If no device is registered, "No connected device" is displayed.




Tips

The display of the decimal point can be changed as follows.


- ① Tap the upper left of the application screen and select "About".



- ② Select the format of decimal point display in "Switching decimal point display", and tap "Update".



③ The display of the decimal point will be changed as shown below.




4.3. Setting Device Information (Device Name, Tolerance Determination)

You can set the device name, tolerance judgment and memo for the device registered in the application.

*It is set only by the application. It is not set to the transmitter.

- ① Tap the upper left of the screen and select "Device List".
- ② Tap the device ID to set the device information.



- ③ The following setting screen appears.

Device ID
Display the device ID.


Nominal Value
The nominal value can be set.

Memo
Memo can be set.

Device Name
The device name can be set.
Up to 20 characters
Half-width alphanumeric characters

Upper Limit
Lower Limit
The tolerances can be set.


- ④ Tap the blank of "Device Name" to enter the device name setting.
Please enter only Half-width alphanumeric characters within 20 characters.



- ⑤ Tap the blank field of "Nominal Value" to enter the nominal value setting.



⑥ Tap the blanks "Upper Limit" and "Lower Limit" to enter the tolerance setting.




Setting ± 0.2




Setting $+ 0.3/+ 0.1$




- ⑦ Tap the blank space of "Memo" to enter the memo setting.
You can enter up to 256 Full width characters. (No restricted characters)



⑧ After entering the setting, tap "✓" in the upper right of the screen to complete the setting.



The screen displayed in "Measure" changes when tolerance settings are made. They are displayed in green when they are within the tolerance range and in red when they are outside the tolerance range. If you have registered multiple entries, you can check them all on the "All" screen.




4.4. Graph Display

There are two types of graph display: "real-time display" and "Graph display of measurement data log".


■ Real-time display

Tap the upper right on the "Measure" screen. A plot is added when measurement data is received.




■ Graph display of measurement data log


① Tap the upper left of the display screen and tap "Graph".




② When the "Graph" screen appears, tap "Select Device Name" and select the device you want to graph.



③ Tap "Select Date" and select the date of the measurement data log you want to graph.



④ Tap "Select File Type" to select a file. Select a file to display the graph.



Enter "Nominal Value", "Upper Limit", or "Lower Limit" and the tolerance range will be displayed on the graph.




Tips

- You can change the scale of the graph by pinching in and pinching out.


4.5. Histogram display

The acquired measurement data log can be displayed in a histogram.


- ① Tap the upper left of the display screen and tap "Histogram".




- ② When the "Histogram" screen appears, tap "Select Device Name" and select the device for which you want to display the histogram.



③ Tap "Select Date" and select the date of the measurement data log for which you want to display the histogram.




④ Tap "Select File Type" to select a file. Select to display the histogram.



Tips


- You can change the bins (X Axis) in the bar at the bottom of the histogram.
- The histogram bins can be displayed in up to 10 segments.



4.6. File List

You can check the log file of the data measured by the application. You can also share and delete files.

① Tap the upper left of the display screen and select "File List".



② A file list appears. Each part is described below.

Search


You can select a file format and device name to narrow down the log file.

Select All

You can select all log files.

File List

The log file is displayed.



Delete File

You can delete the selected log file.

Sharing files

You can share the selected log file.

Deleting files (Date)

You can delete data that is earlier than the date you enter.

Tips

-The measurement data log file is created in "Date + Device Name". Changing the device name creates a new file.

-The date is in the format "YYYYMMDD".

-The "csv" file is saved in the form of double quotes for strings and commas for delimiters.

File format:

Line 1 (Header):

#, "[Device ID]", "[Device Name]", "[Nominal Value]", "[Lower Limit]", "[Upper Limit]", "[memo]"

Lines after (Data):

[measured value] , [tolerance judgment result] , [YYYY/MM/DD hh: mm]


*When the decimal point of the measurement value is [,], it is a double quotation enclosure.

4.7. Other Features

Tap the upper left of the display screen and select "About" to display the following screen. The components are described below.

Recall reception time setting

You can set the time for automatic reconnection when the transmitter is disconnected. If it times out, connect manually.



Toggle Decimal

You can change the decimal point display.

Terms of Use

You can see the terms of use.

Mitutoyo website

Mitutoyo's website opens.

Version information

The version of this application is displayed.

4.8. How to Disconnect and Unregister Devices


You can disconnect or unregister the device registered in the application on the "Device List" screen.

*If you do not disconnect the Bluetooth connection, the battery will always be exhausted. When not in use, disconnect the communication before storing.

■ Method of disconnecting communication

Tap "Connected" (orange) to disconnect.


To reconnect, tap "Connect" and press the DATA button (orange) on the transmitter.



■ How to unregister

Check the device you want to unregister and tap the upper right of the display screen.

Press "OK" on the confirmation screen to cancel the device registration.



5. How to pair directly with the OS

U-WAVE-TCB/U-WAVE-TMB can be directly connected to the OS without using this application.
It is recognized as keyboard input when connected to the OS.

- ① On the Bluetooth setting screen of the receiving terminal, make the Bluetooth terminal searchable.
- ② Press the DATA button on the transmitter.
- ③ When "U-WAVE" appears, tap to connect.

6. Troubleshooting

■The U-WAVE-TCB/U-WAVE-TMB LED lights green, but no measurement data is displayed.

Cause : Connected to another terminal
Solution : - Disconnect from other Bluetooth receivers.
-Turn off the other Bluetooth receiver.

■When registering the application, the LED of U-WAVE-TCB/U-WAVE-TMB lights up in red, and you cannot "Scan".

Cause : The instrument is not powered on.
Solution : Turn on the power of the instrument.

■No measurements are displayed in the app.

Cause : The receiving terminal is far from the transmitter, or there is an obstruction.
Solution : -Shorten the distance between the receiving terminal and the transmitter.
-Remove obstacles

※ If troubleshooting cannot solve the problem, refer to the user's manual of the U-WAVE unit.

Europe

Mitutoyo Europe GmbH

Borsigstrasse 8-10, 41469 Neuss, GERMANY
TEL: 49(0)2137 102-0 FAX: 49(0)2137 102-351

Mitutoyo CTL Germany GmbH

Von-Gunzert-Strasse 17, 78727 Oberndorf, GERMANY
TEL: 49(0)7423 8776-0 FAX: 49(0)7423 8776-99

KOMEG Industrielle Messtechnik GmbH

Zum Wasserwerk 3, 66333 Völklingen, GERMANY
TEL: 49(0)6898 91110 FAX: 49(0)6898 9111100

Germany

Mitutoyo Deutschland GmbH

Borsigstrasse 8-10, 41469 Neuss, GERMANY
TEL: 49(0)2137 102-0 FAX: 49(0)2137 86 85

M3 Solution Center Hamburg

Tempowerkring 9 im HIT-Technologiepark 21079 Hamburg,
GERMANY
TEL: 49(0)40 791894-0 FAX: 49(0)40 791894-50

M3 Solution Center Berlin

Carl-Scheele-Straße 16, 12489 Berlin, GERMANY
TEL: 49(0)30 2611 267

M3 Solution Center Eisenach

Heinrich-Ehrhardt-Platz 1, 99817 Eisenach, GERMANY
TEL: 49(0)3691 88909-0 FAX: 49(0)3691 88909-9

M3 Solution Center Ingolstadt

Marie-Curie-Strasse 1a, 85055 Ingolstadt, GERMANY
TEL: 49(0)841 954920 FAX: 49(0)841 9549250

M3 Solution Center Leonberg

Steinbeisstrasse 2, 71229 Leonberg, GERMANY
TEL: 49(0)7152 6080-0 FAX: 49(0)7152 608060

Mitutoyo-Messgeräte Leonberg GmbH

Heidenheimer Strasse 14, 71229 Leonberg, GERMANY
TEL: 49(0)7152 9237-0 FAX: 49(0)7152 9237-29

U.K.

Mitutoyo (UK) Ltd.

Joule Road, West Point Business Park, Andover, Hampshire
SP10 3UX, UNITED KINGDOM

TEL: 44(0)1264 353 123 FAX: 44(0)1264 354883

M3 Solution Center Coventry

Unit6, Banner Park, Wickmans Drive, Coventry,
Warwickshire CV4 9XA, UNITED KINGDOM

TEL: 44(0)2476 426300 FAX: 44(0)2476 426339

M3 Solution Center Halifax

Lowfields Business Park, Navigation Close, Elland, West
Yorkshire HX5 9HB, UNITED KINGDOM

TEL: 44(0)1422 375566 FAX: 44(0)1422 328025

M3 Solution Center East Kilbride

The Baird Building, Rankine Avenue, Scottish Enterprise
Technology Park, East Kilbride G75 0QF, UNITED

KINGDOM

TEL: 44(0)1355 581170 FAX: 44(0)1355 581171

France

Mitutoyo France

Paris Nord 2-123 rue de la Belle Etoile, BP 59267 ROISSY EN
FRANCE 95957 ROISSY CDG CEDEX, FRANCE

TEL: 33(0)149 38 35 00

M3 Solution Center LYON

Parc Mail 523, cours du 3éme millénaire, 69791 Saint-Priest,
FRANCE

TEL: 33(0)149 38 35 70

M3 Solution Center STRASBOURG

Parc de la porte Sud, Rue du pont du péage, 67118
Geispolsheim, FRANCE

TEL: 33(0)149 38 35 80

M3 Solution Center CLUSES

Espace Scionzier 480 Avenue des Lacs, 74950 Scionzier,
FRANCE

TEL: 33(0)1 49 38 35 90

M3 Solution Center TOULOUSE

Aeroparc Saint Martin Cellule B08

ZAC de Saint Martin du Touch 12 rue de Caulet
31300 Toulouse, FRANCE

TEL: 33(0)1 49 38 42 90

M3 Solution Center RENNES

ZAC Mivoie

Le Vallon

35230 Noyal-Châtillon sur Seiche, FRANCE

TEL: 33(0)1 49 38 42 10

Italy

MITUTOYO ITALIANA S.r.l.

Corso Europa, 7 - 20020 Lainate (MI), ITALY

TEL: 39 02 935781 FAX: 39 02 9373290 • 93578255

M3 Solution Center BOLOGNA

Via dei Carpini1/A - 40011 Anzola Emilia (BO), ITALY

TEL: 39 02 93578215 FAX: 39 02 93578255

M3 Solution Center CHIETI

Contrada Santa Calcagna - 66020 Rocca S. Giovanni (CH),
ITALY

TEL: 39 02 93578280 FAX: 39 02 93578255

M3 Solution Center PADOVA

Via G. Galilei 21/F - 35035 Mestrino (PD), ITALY

TEL: 39 02 93578268 FAX: 39 02 93578255

Belgium / Netherlands

Mitutoyo BeNeLux

Mitutoyo Belgium N.V.

Hogenakkerhoekstraat 8, 9150 Kruibeke, BELGIUM

TEL: 32(0)3-2540444 FAX: 32 (0)3-2540444

Mitutoyo Nederland B.V.

Wiltonstraat 25, 3905 KW Veenendaal,

SERVICE NETWORK

As of Jan 2019

THE NETHERLANDS
TEL: 31(0)318-534911

Strada Ionescu Crum Nr.1, Brasov Business Park Turnul 1,
Mezanin, 500446 Brasov-Judetul Brasov, ROMANIA
TEL/FAX: 40(0)371020017

Sweden

Mitutoyo Scandinavia AB
Släntvägen 6, 194 61 Upplands Väsby, SWEDEN
TEL: 46(0)8 594 109 50 FAX: 46(0)8 590 924 10

M3 Solution Center Alingsås
Ängsvaktaregatan 3A, 441 38 Alingsås, SWEDEN
TEL: 46(0)8 594 109 50 FAX: 46(0)322 63 31 62

M3 Solution Center Värnamo
Storgatsbacken 1, 331 30 Värnamo, SWEDEN
TEL: 46(0)8 594 109 50 FAX: 46(0)370 463 34

Switzerland

Mitutoyo (Schweiz) AG
Steinackerstrasse 35, 8902 Urdorf, SWITZERLAND
TEL: 41(0)447361150 FAX: 41(0)447361151

Mitutoyo (Suisse) SA
Rue Galilée 4, 1400 Yverdon-les Bains, SWITZERLAND
TEL: 41(0)244259422 FAX: 41(0)447361151

Poland

Mitutoyo Polska Sp.z o.o.
Ul.Graniczna 8A, 54-610 Wroclaw, POLAND
TEL: 48(0)71354 83 50 FAX: 48(0)71354 83 55

Czech Republic

Mitutoyo Česko s.r.o.
Dubská 1626, 415 01 Teplice, CZECH REPUBLIC
TEL: 420 417-514-011 FAX: 420 417-579-867

Mitutoyo Česko s.r.o. M3 Solution Center Ivančice
Ke Karlovu 62/10, 664 91 Ivančice, CZECH REPUBLIC
TEL: 420 417-514-011 FAX: 420 417-579-867

Mitutoyo Česko s.r.o. M3 Solution Center Ostrava Mošnov
Mošnov 314, 742 51 Mošnov, CZECH REPUBLIC
TEL: 420 417-514-050 FAX: 420 417-579-867

Mitutoyo Česko s.r.o. Slovakia Branch
Hviezdoslavova 124, 017 01 Povážská Bystrica, SLOVAKIA
TEL: 421 948-595-590

Hungary

Mitutoyo Hungária Kft.
Záhony utca 7, D-épület / fsz, 1031 Budapest, HUNGARY
TEL: 36(0)1 2141447 FAX: 36(0)1 2141448

Romania

Mitutoyo Romania SRL
1A Drumul Garii Odai Street, showroom, Ground Floor,
075100 OTOPENI-ILFOV, ROMANIA
TEL: 40(0)311012088 FAX: 40(0)311012089

Showroom in Brasov

Russian Federation

Mitutoyo RUS LLC
13 Sharikopodshipnikovskaya, bld.2, 115088 Moscow,
RUSSIAN FEDERATION
TEL: 7 495 7450 752

Finland

Mitutoyo Scandinavia AB Finnish Branch
Viherkiitäjä 2A, 33960, Pirkkala, FINLAND
TEL: 358(0)40 355 8498

Austria

Mitutoyo Austria GmbH
Johann Roithner Straße 131 A-4050 Traun, AUSTRIA
TEL: 43(0)7229 23850 FAX: 43(0)7229 23850-90
Götzis Regional Showroom
Lasten Straße 48A 6840, AUSTRIA

Singapore

Mitutoyo Asia Pacific Pte. Ltd.
Head office / M3 Solution Center
24 Kallang Avenue, Mitutoyo Building, SINGAPORE 339415
TEL: (65)62942211 FAX: (65)62996666

Malaysia

Mitutoyo (Malaysia) Sdn. Bhd.
Kuala Lumpur Head Office / M3 Solution Center
Mah Sing Integrated Industrial Park, 4, Jalan Utarid U5/14,
Section U5, 40150 Shah Alam, Selangor, MALAYSIA
TEL: (60)3-78459318 FAX: (60)3-78459346
Penang Branch office / M3 Solution Center
No.30, Persiaran Mahsuri 1/2, Sunway Tunas, 11900 Bayan
Lepas, Penang, MALAYSIA
TEL: (60)4-6411998 FAX: (60)4-6412998
Johor Branch office / M3 Solution Center
No. 70, Jalan Molek 1/28, Taman Molek, 81100 Johor Bahru,
Johor, MALAYSIA
TEL: (60)7-3521626 FAX: (60)7-3521628

Thailand

Mitutoyo(Thailand)Co., Ltd.
Bangkok Head Office / M3 Solution Center
76/3-5, Chaengwattana Road, Kwaeng Anusaowaree, Khet
Bangkaen, Bangkok 10220, THAILAND
TEL: (66)2-080-3500 FAX: (66)2-521-6136

Chonburi Branch / M3 Solution Center

7/1, Moo 3, Tambon Bowin, Amphur Sriracha, Chonburi
20230, THAILAND

SERVICE NETWORK

As of Jan 2019

TEL: (66)2-080-3563 FAX: (66)3-834-5788

Amata Nakorn Branch / M3 Solution Center

700/199, Moo 1, Tambon Bankao, Amphur Phanthong,
Chonburi 20160, THAILAND

TEL: (66)2-080-3565 FAX: (66)3-846-8978

Indonesia

PT. Mitutoyo Indonesia

Head Office / M3 Solution Center

Jalan Sriwijaya No.26 Desa cibatu Kec. Cikarang Selatan Kab.
Bekasi 17530, INDONESIA

TEL: (62)21-2962 8600 FAX: (62)21-2962 8604

Vietnam

Mitutoyo Vietnam Co., Ltd

Hanoi Head Office / M3 Solution Center

No. 07-TT4, My Dinh - Me Tri Urban Zone, My Dinh 1 Ward,
Nam Tu Liem District, Hanoi, VIETNAM

TEL: (84)24-3768-8963 FAX: (84)24-3768-8960

Ho Chi Minh City Branch Office / M3 Solution Center

123 Dien Bien Phu Street, Ward 15, Binh Thanh District,
Ho Chi Minh City, VIETNAM

TEL: (84)28-3840-3489 FAX: (84)28-3840-3498

Mitutoyo Philippines, Inc.

Head Office/ M3 Solution Center

Unit 2103, Bldg 2 GMV Building 2, 107 North Main Avenue,
Laguna Technopark, Binan, Laguna 4024, Philippines

TEL: (63)49 544 0272 FAX: (63)49 544 0272

India

Mitutoyo South Asia Pvt. Ltd.

Head Office / M3 Solution Center

C-122, Okhla Industrial Area, Phase-I, New Delhi-110 020,
INDIA

TEL: 91(11)2637-2090 FAX: 91(11)2637-2636

MSA Gurgaon technical center

Plot No. 65, Phase-IV, Udyog Vihar, Gurgaon – 122016

TEL: 91(0124) – 2340294

Mumbai Region Head office

303, Sentinel Hiranandani Business Park Powai,
Mumbai-400 076, INDIA

TEL: 91(22)2570-0684, 837, 839 FAX: 91(22)2570-0685

Pune Office / M3 Solution Center

G2/G3, Pride Kumar Senate, F.P. No. 402 Off. Senapati Bapat
Road, Pune-411 016, INDIA

TEL: 91(20)6603-3643, 45, 46 FAX: 91(20)6603-3644

Bengaluru Region Head office / M3 Solution Center

No. 5, 100 Ft. Road, 17th Main, Koramangala, 4th Block,
Bengaluru-560 034, INDIA

TEL: 91(80)2563-0946, 47, 48 FAX: 91(80)2563-0949

Chennai Office / M3 Solution Center

No. 624, Anna Salai Teynampet, Chennai-600 018, INDIA

TEL: 91(44)2432-8823, 24, 27, 28 FAX: 91(44)2432-8825

Kolkata Office

Unit No. 1208, Om Tower, 32, J.L. Nehru Road, Kolkata-700
071, INDIA

TEL: 91 33-22267088/40060635 FAX: (91)33-22266817

Ahmedabad Office/M3 Solution Center (Ahmedabad)

A-104 & A-105, First Floor, Solitaire Corporate Park, Near
Divya Bhaskar Press, S.G. Road, Ahmedabad - 380 015,
INDIA

TEL: (91)079 - 29704902/903

Coimbatore Office (Coimbatore)

Regus, Srivari Srimath, 3rd Floor, Door No: 1045, Avinashi
Road, Coimbatore - 641 018, INDIA

TEL: (91)9345005663

Taiwan

Mitutoyo Taiwan Co., Ltd. / M3 Solution Center Taipei

4F., No.71, Zhouzi St., Neihu Dist., Taipei City 114, TAIWAN
(R.O.C.)

TEL: 886(2)5573-5900 FAX: 886(2)8752-3267

Taichung Branch / M3 Solution Center Taichung

1F., No.758, Zhongming S. Rd., South Dist., Taichung City 402,
TAIWAN(R.O.C.)

TEL: 886(4)2262-9188 FAX: 886(4)2262-9166

Kaohsiung Branch / M3 Solution Center Kaohsiung

1F., No.31-1, Haibian Rd., Lingya Dist., Kaohsiung City 802,
TAIWAN (R.O.C.)

TEL: 886(7)334-6168 FAX: 886(7)334-6160

South Korea

Mitutoyo Korea Corporation

Head Office / M3 Solution Center

(Sanbon-Dong, Geumjeong High View Build.), 6F, 153-8,
Ls-Ro, Gunpo-Si, Gyeonggi-Do, 15808 KOREA

TEL: 82(31)361-4200 FAX: 82(31)361-4202

Busan Office / M3 Solution Center

(3150-3, Daejeo 2-dong) 8, Yutongdanji 1-ro 49beon-gil,
Gangseo-gu, Busan, 46721 KOREA

TEL: 82(51)718-2140 FAX: 82(51)324-0104

Daegu Office / M3 Solution Center

(Galsan-dong, Daegu Business Center), 301-Ho, 217,
Seongseogongdan-ro, Dalseo-gu, Daegu 42704 KOREA

TEL: 82(53)593-5602 FAX: 82(53)593-5603

China

Mitutoyo Measuring Instruments (Shanghai) Co., Ltd.

12F, Nextage Business Center, No.1111 Pudong South Road,
Pudong New District, Shanghai 200120, CHINA

TEL: 86(21)5836-0718 FAX: 86(21)5836-0717

Suzhou Office / M3 Solution Center (Suzhou)

No. 46 Baiyu Road, Suzhou 215021, CHINA

TEL: 86(512)6522-1790 FAX: 86(512)6251-3420

Wuhan Office

Room 1701, Wuhan Wanda Center, No. 96, Linjiang Road,
Wuchang District, Wuhan Hubei 430060, CHINA
TEL: 86(27)8544-8631 FAX: 86(27)8544-6227

Chengdu Office

1-701, New Angle Plaza, 668# Jindong Road, Jinjiang District,
Chengdu, Sichuan 610066, CHINA
TEL: 86(28)8671-8936 FAX: 86(28)8671-9086

Hangzhou Office

Room 804, Eastern International Business Center Building 1,
No.600 Jinsha Road
Hangzhou Economic and Technological Development Zone,
310018, CHINA

TEL: 86(571)8288-0319 FAX: 86(571)8288-0320

Tianjin Office / M3 Solution Center Tianjin

Room D 12/F, TEDA Building, No.256 Jie-fang Nan Road Hexi
District, Tianjin 300042, CHINA

TEL: 86(22)5888-1700 FAX: 86(22)5888-1701

Changchun Office

Room 815, 8F, Building A1, Upper East International No.3000
Dongsheng Street, Erdao District, Changchun, Jilin, 130031,
CHINA

TEL: 86(431)8192-6998 FAX: 86(431)8192-6998

Chongqing Office

Room 1312, Building 3, Zhongyu Plaza, No.86, Hongjin
Avenue, Longxi Street, Yubei District, Chongqing, 400000,
CHINA

TEL: 86(23)6595-9950 FAX: 86(23)6595-9950

Qingdao Office

Room 638, 6F, No.192 Zhengyang Road, Chengyang District,
Qingdao, Shandong, 266109, CHINA

TEL: 86(532)8096-1936 FAX: 86(532)8096-1937

Xi'an Office

Room 805, Xi'an International Trade Center, No. 196
Xiaozhai East Road, Xi'an, 710061, CHINA

TEL: 86(29)8538-1380 FAX: 86(29)8538-1381

Dalian Office / M3 Solution Center Dalian

Room 1008, Grand Central IFC, No.128 Jin ma Road,
Economic Development Zone, Dalian 116600, CHINA

TEL: 86(411)8718 1212 FAX: 86(411)8754-7587

Zhengzhou Office

Room1801,18/F,Unit1, Building No.23, Shangwu Inner Ring
Road, Zhengdong New District, Zhengzhou City, Henan
Province, 450018, CHINA

TEL: 86(371)6097-6436 FAX: 86(371)6097-6981

Mitutoyo Leepport Metrology (Hong Kong) Limited

Room 818, 8/F, Vanta Industrial Centre, No.21-33, Tai Lin Pai
Road, Kwai Chung, NT, Hong Kong

TEL: 86(852)2992-2088 FAX: 86(852)2670-2488

Mitutoyo Leepport Metrology (Dongguan) Limited /

M3 Solution Center Dongguan

No.26, Guan Chang Road, Chong Tou Zone, Chang An Town,

Dong Guan, 523855 CHINA

TEL: 86(769)8541 7715 FAX: 86(769)-8541 7745

Mitutoyo Leepport Metrology (Dongguan) Limited – Fuzhou office

Room 2104, City Commercial Centre, No.129 Wu Yi Road N.,
Fuzhou City, Fujian Province, CHINA

TEL: 86 591 8761 8095 FAX: 86 591 8761 8096

Mitutoyo Leepport Metrology (Dongguan) Limited – Changsha office

Room 2207, Shiner International Plaza, No. 88, Kaiyuan
Middle Road, Changsha City, Hunan, China

TEL: 86 731 8401 9276 FAX: 86 731 8401 9376

Mitutoyo Measuring Instruments (Suzhou) Co., Ltd.

No. 46 Baiyu Road, Suzhou 215021, CHINA

TEL: 86(512)6252-2660 FAX: 86(512)6252-2580

U.S.A.

Mitutoyo America Corporation

965 Corporate Boulevard, Aurora, IL 60502, U.S.A.

TEL: 1-(630)820-9666 Toll Free No. 1-(888)648-8869

FAX: 1-(630)978-3501

M3 Solution Center-Illinois

965 Corporate Boulevard, Aurora, IL 60502, U.S.A.

TEL: 1-(888)648-8869 FAX: 1-(630)978-3501

M3 Solution Center-Ohio

6220 Hi-Tek Court, Mason, OH 45040, U.S.A.

TEL: 1-(888)648-8869 FAX: 1-(513)754-0718

M3 Solution Center-Michigan

46850 Magellan Drive, Suite 100, Novi, MI 48377, U.S.A.

TEL: 1-(888)648-8869 FAX: 1-(248)926-0928

M3 Solution Center-California

16925 E. Gale Avenue, City of Industry, CA 91745, U.S.A.

TEL: 1-(888)648-8869 FAX: 1-(626)369-3352

M3 Solution Center-North Carolina

11515 Vanstory Drive, Suite 140, Huntersville, NC 28078, U.S.A.

TEL: 1-(888)648-8869 FAX: 1-(704)875-9273

M3 Solution Center-Alabama

2100 Riverchase Center, Suite 106, Hoover, AL 35244, U.S.A

TEL: 1-(888)648-8869 FAX: 1-(205)988-3423

M3 Solution Center-Washington

1000 SW 34th Street Suite G, Renton, WA 98057 U.S.A.

TEL: 1-(888)648-8869

M3 Solution Center-Texas

4560 Kendrick Plaza Drive, Suite 120, Houston, TX 77032,
U.S.A.

TEL: 1-(888)648-8869 FAX: 1-(281)227-0937

M3 Solution Center-Massachusetts

753 Forest Street, Suite 110, Marlborough, MA 01752, U.S.A.

TEL: 1-(888)648-8869 FAX: 1-(508)485-0782

Mitutoyo America Corporation Calibration Lab

965 Corporate Boulevard, Aurora, IL 60502, U.S.A.

TEL: 1-(888)648-8869 FAX: 1-(630)978-6477

SERVICE NETWORK

As of Jan 2019

Micro Encoder, Inc.

11533 NE 118th Street, Kirkland, WA 98034-7111, U.S.A.

TEL: 1-(425)821-3906 FAX: 1-(425)821-3228

Micro Encoder Los Angeles, Inc.

16925 E. Gale Avenue, City of Industry, CA 91745-1806 U.S.A.

TEL: 1-626-961-9661 FAX: 1-626-333-8019

Canada

Mitutoyo Canada Inc.

2121 Meadowvale Blvd., Mississauga, Ont. L5N 5N1.,

CANADA

TEL: 1-(905)821-1261 FAX: 1-(905)821-4968

Montreal Office

7075 Place Robert-Joncas Suite 129, Montreal, Quebec H4M
2Z2, CANADA

TEL: 1-(514)337-5994 FAX: 1-(514)337-4498

Brazil

Mitutoyo Sul Americana Ltda.

Head office / M3 Solution Center / Factory

Rodovia Índio Tibiriça 1555, Bairro Raffo, CEP 08655-000

Suzano – SP, Brasil

TEL: 55(11) 5643- 0040

Argentina

Mitutoyo Sul Americana Ltda.

Argentina Branch / M3 Solution Center

Av. B. Mitre 891/899 – C.P. (B1603CQD) Vicente López –Pcia.

Buenos Aires – Argentina

TEL: 54(11)4730-1433 FAX: 54(11)4730-1411

Sucursal Cordoba / M3 Solution Center

Av. Amadeo Sabattini, 1296, esq. Madrid B° Crisol Sur – CP
5000, Cordoba, ARGENTINA

TEL/FAX: 54(351)456-6251

Mexico

Mitutoyo Mexicana, S.A. de C.V.

Prolongación Industria Eléctrica No. 15 Parque Industrial
Naucalpan

Naucalpan de Juárez, Estado de México C.P. 53370, MÉXICO

TEL: 52(01-55)5312-5612

Monterrey Office/ M3 Solution Center Monterrey

Blv. Interamericana No. 103, Parque Industrial FINSA,

C.P. 66636 Apodaca, N.L., MÉXICO

TEL: 52(01-81) 8398-8227/8228/8242/8244

FAX: 52(01-81) 8398-8226

Tijuana Office/ M3 Solution Center Tijuana

Calle José María Velazco 10501-C, Col. Cd. Industrial Nueva

Tijuana, C.P. 22500 Tijuana, B.C., MÉXICO

TEL: 52(01-664) 647-5024

Querétaro Office / M3 Solution Center Querétaro

Av. Cerro Blanco No.500-1, Colonia Centro Sur, Querétaro,

Querétaro, C.P. 76090, MÉXICO

TEL: 52(01-442)340-8018, 340-8019 and 340-8020

FAX: 52(01-442)340-8017

Mitutoyo Mexicana, S.A. de C.V. Querétaro Calibration Laboratory

Av. Cerro Blanco 500 30 Centro Sur, Querétaro, Querétaro,

C.P. 76090, MÉXICO

TEL: 52(01-442)340-8018, 340-8019 and 340-8020

FAX: 52(01-442)340-8017

Aguascalientes Office / M3 Solution Center

Av. Aguascalientes No. 622, Local 15 Centro Comercial El

Cilindro Fracc. Pulgas Pandas Norte, C.P. 20138,

Aguascalientes, Ags. MÉXICO

TEL: 52(01-449)174-4140 and 174-4143

Irapuato Office / M3 Solution Center

Boulevard a Villas de Irapuato No. 1460 L.1 Col. Ejido

Irapuato C.P. 36643

Irapuato, Gto., MÉXICO

TEL: 52(01-462)144-1200 and 144-1400